

Reducing Emissions after treatment

Written by Dan

Thursday, 08 March 2012 10:36 - Last Updated Thursday, 08 March 2012 10:49

MoreMPG™ reduced Hydro Carbons 96%, CO 98% and NOx 80% after treatment. ✓

This test was run by an Ontario Drive Clean Service Centre, the car failed back in 2010 and was instructed to change the CO sensor at a price tag of around \$300, the owner parked the car instead and on March 7 2012 he had contacted MoreMPG and asked if applying the MoreMPG would make his car pass the emissions test, the response was that we cannot guarantee that it will pass as we do not know the condition of the car and could have some mechanical issues that we are not aware of and so the only suggestion we could tell him is to try it and find out. MoreMPG was applied and then driven on the highway for about 45 minutes to have the emissions test done again, it PASSED with amazing results.

BEFORE

ONTARIO DRIVE CLEAN PROGRAM
VEHICLE EMISSIONS INSPECTION REPORT

Test Date/Time: 17/09/2010 @ 17:15:11

ONTARIO MINISTRY OF THE ENVIRONMENT

VEHICLE INFORMATION		Model	
Year: 2003	Make: SCION	Model: REX	
VIN: 5D4DC51083C081553	Engine size: 2.0 L	Cylinders: 4	
GVW/Rpts: 1442	EVType: 244	Inspection Type: 2	

ADM TAILPIPE EMISSIONS INSPECTION				EMISSIONS CONTROL SYSTEMS INSPECTION			
Mode	CO	HC	NOx	EVAP	DEF	DEF	DEF
Idle	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
1500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
2500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
3500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
4500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
5500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
6500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
7500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
8500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
9500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
10500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
11500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
12500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
13500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
14500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
15500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
16500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
17500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
18500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
19500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
20500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
21500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
22500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
23500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
24500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
25500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
26500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
27500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
28500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
29500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
30500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
31500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
32500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
33500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
34500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
35500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
36500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
37500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
38500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
39500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
40500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
41500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
42500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
43500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
44500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
45500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
46500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
47500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
48500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
49500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
50500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
51500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
52500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
53500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
54500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
55500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
56500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
57500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
58500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
59500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
60500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
61500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
62500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
63500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
64500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
65500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
66500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
67500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
68500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
69500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
70500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
71500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
72500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
73500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
74500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
75500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
76500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
77500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
78500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
79500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
80500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
81500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
82500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
83500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
84500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
85500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
86500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
87500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
88500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
89500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
90500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
91500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
92500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
93500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
94500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
95500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
96500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
97500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
98500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
99500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL
100500 RPM	0.37	0.25	0.15	0.70	3.52	FAIL	FAIL

OVERALL TEST RESULTS: **FAIL**

POSTAL CODE: M6Z1V4 PROGRAM AREA: 01 REPAIR COST LIMIT: 0400

BRING THIS REPORT WHEN YOU RETEST YOUR VEHICLE
A CONDITIONAL PASS IS NOT ACCEPTED FOR RESALE
YOU MAY BE ELIGIBLE FOR A \$450 REPAIR COST LIMIT
EMISSIONS STANDARDS FOR LIGHT DUTY VEHICLES
WERE TIGHTENED EFFECTIVE JANUARY 1, 2005

DCS NAME: Canadian Tire - Walkers Hill Ltd
ADDRESS: 1008 The Queensway
PHONE: 416-291-5151
INVENTORY ID: 29122

DRIVE CLEAN FACILITY

REPORT NUMBER: 006649
DCS #: 2391
ANALYST ID: 13068
SOFTWARE VERSION: 3.09

VEHICLE EMISSIONS INSPECTION QUESTIONS:
For additional information, please contact the Drive Clean Call Centre:
1-888-758-2959
www.driveclean.com

Inspector's signature:
Angelis .. Dubp

AFTER 45 Minutes of highway driving with MoreMPG

Reducing Emissions after treatment

Written by Dan

Thursday, 08 March 2012 10:36 - Last Updated Thursday, 08 March 2012 10:49

AFTER

**ONTARIO DRIVE CLEAN PROGRAM
VEHICLE EMISSIONS INSPECTION REPORT**

Certificate Number: 449 531 2719
Test Date/Time: 07-MAR-2012 @ 18:28

ONTARIO MINISTRY OF THE ENVIRONMENT

VEHICLE INFORMATION			
Year: 2003	Make: ACMA	Model: RDX	
VIN: 4M0C33082001583	Plate: 242	Category: 4	
GVW: 1660 kg	Equipment Code: 1591 kg	Inspection Type: 1	

ASM2525 TEST				CLIP IDLE TEST			
Limit	Reading	Result	Limit	Reading	Result	Limit	Reading
HC ppm	66	PASS	150	10	PASS		
CO%	0.37	PASS	0.70	0.08	PASS		
NO ppm	505	PASS	N/A	N/A	N/A		
RPM	2372	VALID	RPM	755	VALID		
Dilution	15.5	VALID	Dilution	32.5	VALID		

EMISSIONS CONTROL SYSTEMS INSPECTION	
Exhaust Gas Recirculation System:	N/A
Air Injection System:	N/A
Positive Crankcase Ventilation System:	N/A
Catalytic Converter:	N/A
Fuel Evaporative System:	N/A
Thermostatic Air Cleaner System:	N/A
Gas Cap Pressure Test:	PASS
Fuel Filter Integrity Check:	N/A

OVERALL TEST RESULTS: PASS

POSTAL CODE: N/A

PROGRAM AREA: N/A

REPAIR COST LIMIT: N/A

THANK YOU FOR YOUR CONTRIBUTION TO CLEAN AIR. BRING THIS REPORT TO REGISTER YOUR VEHICLE. IT IS VALID FOR ONE YEAR. THIS TEST DETERMINES COMPLIANCE WITH TAILPIPE EMISSIONS LIMITS AT THE TIME OF THE TEST. BY LAW ALL EMISSIONS CONTROL EQUIPMENT MUST BE INSTALLED AND FUNCTIONING AT ALL TIMES.

FOR PRO USE ONLY

SECURITY CODE

CAT98G

992U4WLKHTR02569S04

DRIVE CLEAN FACILITY

DCP NAME: Royal Auto Centre & Inspection Test
ADDRESS: 20 Midway Drive, Unit 1, Brampton, ON L6T 4T1
PHONE: 905-881-8178
INSPECTOR ID: 00037

REPORT NUMBER: 31244
DCP NUMBER: 88221
ANALYST NUMBER: 84490
SOFTWARE VERSION: 2.40

VEHICLE EMISSIONS INSPECTION QUESTIONS
For additional information, always contact the Drive Clean Call Centre
1-888-768-2999
www.driveclean.com

Inspector's Signature: *R. O. [Signature]*
Inspector: P. [Name]